

CATALOGUE WOODEN FLOORS

R

Baltic Wood

2025







Be BALTIC = Be ECO

THREE-LAYERED WOODEN FLOORS:

- perfect for playing, relaxing and cuddling together
- create a cosy interior with a palpable touch of comfort and safety
- ♥ antiallergic
- 💙 safe for health





With passion for wood



Our collections were created out of a true passion for wood. We emphasize its undiscovered, natural beauty in the processes of hand distressing, brushing, bevelling, varnishing and oiling.

Baltic Wood

Baltic Wood combines fascination for the beauty of wood and knowledge about its specialist treatment. Thanks to this, Baltic Wood floors are not only beautiful, but also perfect in terms of quality – durable, functional and easy to maintain on a regular basis.



OUR MISSION

We believe that the floor made of the highest quality wood is that which lends a Unique character to every interior – both the Classical and the modern one. That is why we continually follow the latest trends in design so as to cater to the tastes of both traditionalists and those who value more avant-garde design.



KNOWLEDGE AND EXPERIENCE

The company was founded 25 years ago in Poland and quickly expanded its brand into the international marketplace. Today, thanks to an extensive partner network, Baltic Wood floors reach clients in 62 countries all over the world. The modern production plant, the company head office and the sales offices are located in the town of Jasło, the Subcarpathian Province.

SUPREME QUALITY

Creating floors of the highest quality is our main goal and priority in the strategy of the company development. All the processes – designing, planning, manufacturing and delivering the goods – are based on a single, coherent Integrated Quality and Environmental Management System.



WE CARE FOR THE NATURAL ENVIRONMENT

We love nature and therefore we take so much care to make the manufacturing of Baltic Wood floors meet the most rigorous conservation standards. The supreme quality and care for the environment certified by: FSC, M1, TÜV.

Wooden floors

Nature offers beauty, harmony, elegance and style which cannot be replaced with any substitute.

Baltic Wood wooden floors owe their Uniqueness primarily to nature inspiringly displayed in flooring compositions that lend interiors a fascinating character.

CARE FOR NATURE

With the support of innovative technology compliant with the highest quality standards, Baltic Wood wooden floors are sustainable and eco-friendly.







THE STRUCTURE OF THREE-LAYERED FLOOR

Baltic Wood floor comprises three layers. The top layer made of noble wood (2.7-6.6 mm thick) is covered with seven coats of lacquer or two coats of oil. Both the finishes make up, on the floor surface, a thin, flexible and durable protective coating. The middle layer (approx. 8.9 mm thick) includes transverse spruce slats that reinforce the floor flexibility. The bottom layer (approx. 1.6 mm thick) is made of uniform spruce veneer, which stabilises and stiffens the whole structure.



Three-layered floors

precision of workmanship + reliable use

WOODEN FLOOR

Thanks to the natural properties of the material and its characteristic and original look, wooden flooring makes it possible to create a cosy, distinguished interior with a touch of comfort and safety. Wood is warm and pleasant to the touch, and so it makes you want to walk barefoot around every nook and cranny of the house. Besides, it has very practical qualities – it muffles noises and sounds of footsteps. The natural material also ensures a long lifetime – time is on its side, making it look more and more noble, and thanks to its (multiple) renovatability, we can enjoy its unchanging beauty for many years.



Grades of oak wood







OAK ELEGANCE

Special, smooth selection, subdued wood colour, none to small knots, no sapwood.

OAK CLASSIC

Natural wood colour and pattern contrasts, none to medium-sized knots, no sapwood.

OAK VILLA

Mix of Elegance and Classic, colour variation, medium-sized knots.

OAK RUSTIC

Distinctly rustic character, vivid contrasts of wood colour and pattern, large knots, no sapwood.

OAK UNIQUE

Vivid contrasts of wood colour and pattern, none to medium knots, sapwood from 1% up to 20% of the board width.

OAK COTTAGE

Mix of Unique, Rustic and Superrustic. Distinctly rustic character, vivid contrasts of wood colour and pattern, large knots, acceptable external sapwood from 0% up to 20% of the board width.

OAK SUPERRUSTIC

Distinctly rustic character, vivid contrasts of wood colour and pattern, large knots, acceptable external sapwood from 1% up to 20% of the board width.

OAK NORDIC

Soft rustic character, vivid contrasts of wood colour and pattern, none to large knots, sapwood from 20% up to 40% of the board width.

OAK EARTHQUAKE

Distinctly rustic character, vivid contrasts of wood colour and pattern, external sapwood from none up to 15% of the board width, acceptable splits.

Sustainable solutions

For years now, Baltic Wood has been pursuing its own eco-friendly policy with ambitious conservation goals, which help protect the environment and live in harmony with nature. The company's environmental awareness comes to be reflected in all the areas of its activity.









ARTISTIC FLOORS DISTRESSED BY HUMAN HAND

Artistically distressed three-layered oak floors in the pattern of 1-row board are manufactured in the process of saturating the wood surface with the noblest oils and pigments, carefully rubbed in by human hand after the boards have been artistically distressed in the process of planing, brushing, notching or applying the woodworm effect. Owing to the Unique technology of reactive stain and oil application, the colour of the artistically distressed floor matures over time, thanks to which it becomes even more beautiful and nobler.

The board edges are highlighted with hand-crafted bevel on each side, which crowns the unusual visual effect. The adhesive-free 2LOC joint makes for quick and clean assembly.





Premium SIZE 2200x210x14 mm 2200x182x14 mm

SLIM SIZE 2200x148x14 mm mini SIZE 1080x148x14 mm





Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



HAND-DISTRESSED BEVEL **ON LONG & SHORT SIDE** OF THE BOARD

The board edges are highlighted with hand-crafted 4V bevel on each side, which crowns the unusual visual effect.





2LOC ADHESIVE-FREE AND T&G ASSEMBLY SYSTEM

Adhesive-free joint, which enables a quick and clean installation. The floor is ready to be used right on installation.

* only in the herringbone pattern

INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.





NOBLE FINISH

The Timeless Collection floors have been refined with quality, hand-rubbed oils which penetrate through the surface, thereby enhancing the everlasting and true character of wood.







MOZART NOTES 1R





MEDIEVAL CASTLE 1R

MEDIEVAL CASTLE 1R HERRINGBONE







LOST COFFER 1R





HOUSE OF SOULS 1R

STARDUST 1R















SUPERMATT FINISH – LOOKS LIKE OIL, EASY TO CLEAN LIKE VARNISH

A collection of oak wooden floors in the pattern of 1-row full plank. The floor surfaces in fashionable colours have been refined and secured with elegant, supermatt varnish, which looks like oil, but it's ease to clean like varnish.

Each floor has micro-bevel on 2 or 4 sides of the board, which emphasizes its' modern character.



Premium SIZE 2200x182x14 mm



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT AS WELL AS SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.





5G ADHESIVE-FREE ASSEMBLY SYSTEM

One of the most modern adhesive-free joints available on the market, which enables a speedy and clean installation. The floor is ready to be used right on installation.

INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.





The power of creation

SUPERMATT LACQUER

It gives the surface a supermatt finish which resembles an oiled surface, but is easy to clean and maintain just like lacquer.

PABLO Oak Unique 1R Coconut & Coconut supermatt lacq. brushed 4mV











SALVADOR Oak Unique 1R Dove & Dove supermatt lacq. brushed 4mV

FRIDA Oak Rustic 1R Smoked & Smoked supermatt lacq. brushed 2mV

CLAUDE Oak Superrustic 1R supermatt lacq. brushed 4mV

















RUSTIC FLOORS IN FASHIONABLE COLOURS

A collection of floors in the 1-strip pattern is delightful in its Classic beauty enhanced with brushed lacquer. Bevelling on four or two sides lends a Unique character to the boards.

The collection comprises floors in six shades inspired by the latest colour trends in 2023. The floors perfectly complement every interior style, and their original character and colour will cater to the most discriminating tastes. It is possible to install the floors over a floor heating system.





Premium SIZE 2200x182x14 mm



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT OR SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.





5G ADHESIVE-FREE ASSEMBLY SYSTEM

One of the most modern adhesive-free joints available on the market, which enables a speedy and clean installation. The floor is ready to be used right on installation.

INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.





Delicious shades of chocolate

RUSTIC CHARACTER

Beautiful rustic character of the floor, strong colour contrasts, knots and expressive wood pattern.

OAK SUPERRUSTIC 1R Nougat & Nougat matt lacq. brushed 4mV







OAK SUPERRUSTIC 1R Almond & Almond matt lacq. brushed 4mV





OAK SUPERRUSTIC 1R Dark Choc & Dark Choc matt lacq. brushed 4mV

OAK SUPERRUSTIC 1R Dark & Truffle matt lacq. brushed 2mV

OAK SUPERRUSTIC 1R White Choc & White Choc matt lacq. brushed 4mV















FLOORS INSPIRED BY THE SPIRIT OF NATURE

A collection of 1-strip oak floors inspired by the spirit of nature. Discover the colours of the most beautiful stones - from light grey to dark graphite, beige and deep brown.

The palette of the most fashionable colours has been achieved in the process of coating the brushed surface of the wood with coloured stains, ECO oil and varnish. Bevelling on four sides lends a Unique character to the boards. Thanks to the cutting-edge adhesive-free floor assembly systems 5G lock, installing 1 m² of flooring will take you less than 1 minute. It is possible to install the floors over a floor heating system.

With the benefit of the Unique technology of reactive stain and oil application, the floor matures over time, thanks to which it becomes even more beautiful and nobler. Colour change is a natural process, and the intensity and timing of the change depend primarily on exposure to sunlight. The biggest changes can last for as long as 6 months from the time the floor is installed.



Premium SIZE 2200x182x14 mm



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT AS WELL AS SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.





5G ADHESIVE-FREE ASSEMBLY SYSTEM

One of the most modern adhesive-free joints available on the market, which enables a speedy and clean installation. The floor is ready to be used right on installation.

INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.





UNIQUE TECHNOLOGY

Thanks to the unique technology of applying reaction stains and oil, the floor matures over time, making it even more beautiful and noble. Colour change is a natural process, and the intensity and duration of the change depend primarily on exposure to sunlight. The process of major changes may take up to approx. 6 months from the time of floor installation.

LIMESTONE Oak Rustic 1R White & Beige matt lacq. brushed 4mV











BASALT Oak Rustic 1R Brown & Taupe matt lacq. brushed 4mV

QUARTZ Oak Rustic 1R cool grey ECO oil brushed 4mV

DOLOMITE Oak Rustic 1R nut brown ECO oil brushed 4mV





SANDSTONE Oak Rustic 1R sand beige ECO oil brushed 4mV











ULTRA-DURABLE THREE-LAYERED WOODEN FLOORS

The ultra-thick layer of noble wood in NoLimits collection makes the surface renovatable up to 9 times. It is a Unique structure that perfectly combines the longevity of solid board with the stability of the engineered board structure.

The wide array of fashionable colours has been achieved in the process of coating the brushed surface of the wood with coloured stains, oil and varnish. Each of the 4 board sides features elegant microbevel. The floors are fitted with a tongue-and-groove joint and suited for adhesive-based installation only as well as for floor heating.



mini SIZE 1090x148x14.6 mm mini SIZE 1080x148x14.6 mm ONLY IN THE HERRINGBONE PATTERN



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT AS WELL AS SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.



TRADITIONAL TONGUE AND GROOVE GLUE JOINT

The floors from NoLimits Collection have traditional tongue and groove glue joint. The boards should be fixed by gluing directly to the subfloor.



INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.





SUPER-DURABLE FLOOR

The extra-thick layer of noble wood allows for the surface to be renovated up to 9 times.

LIBERTY Oak Cottage 1R Nougat & Nougat matt lacq. brushed 4mV







REFLECTION Oak Cottage 1R transparent ECO oil brushed 4mV





DISCOVERY Oak Villa 1R porcelain ECO oil brushed 4mV

INSPIRATION Oak Villa 1R matt lacq. brushed 4mV

HAPPINESS Oak Cottage 1R Cream & Cream matt lacq. brushed 4mV







PASSION Oak Cottage 1R grey ECO oil brushed 4mV





ADRENALINE Oak Cottage 1R porcelain ECO oil brushed 4mV

SENSE Oak Villa 1R transparent ECO oil brushed 4mV







LIBERTY HERRINGBONE Oak Cottage 1R Nougat & Nougat matt lacq. brushed 4mV





SENSE HERRINGBONE Oak Villa 1R transparent ECO oil brushed 4mV

DISCOVERY HERRINGBONE Oak Villa 1R porcelain ECO oil brushed 4mV

ADRENALINE HERRINGBONE Oak Cottage 1R porcelain ECO oil brushed 4mV







56





CHARM Oak Cottage 1R matt lacq. brushed 4mV







FLOORS – EXTRAORDINARY COMBINATION OF THE MODERN AND THE CLASSIC

A collection of floors in the 1-row board pattern is delightful in its Classic beauty enhanced with varnish, oil and an elaborate colour scheme achieved thanks to carefully selected stains and oils.

The offer includes floors with smooth and brushed surfaces featuring SQUARE EDGE, which ensures a perfect surface, as well as ones in which each element is enhanced with microbevel on long and short (4mV) edges. Another asset of the collection is the adhesive-free 5G lock – a joint of the latest generation. It enables a record quick and clean assembly. Each floor in this collection is suitable for installation over underfloor heating.



Premium SIZE 2200x210x14 mm 2200x182x14 mm



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT AS WELL AS SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.





5G ADHESIVE-FREE ASSEMBLY SYSTEM

One of the most modern adhesive-free joints available on the market, which enables a speedy and clean installation. The floor is ready to be used right on installation.

INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.





Perfectly smooth surface

SQUARE EDGE

System of perfect floor element matching with guarantee of the effect of perfectly uniform surfaces, with almost imperceptible joints between individual boards.

MADELINE Oak Classic 1R Coconut & Coconut supermatt lacq. brushed 4mV













OAK CLASSIC 1R transparent ECO oil brushed 4mV

OAK UNIQUE 1R matt lacq. brushed







OAK RUSTIC 1R transparent ECO oil brushed





HOPE Oak Classic 1R aspect of raw wood ECO oil brushed 4mV











SCIENCE Oak Superrustic 1R matt lacq. brushed 4mV

EVOLUTION Oak Earthquake 1R transparent ECO oil brushed 4mV







DEMOCRATIC FLOORS FOR HER AND FOR HIM

A collection of 7 fashionable and blockbusting floors with identical finish, in the 1-row board pattern – for HIM, and in the 3-row slat pattern – for HER. Owing to this it is possible to combine both the designs in various rooms, preserving the colour scheme effect.

The adhesive-free 2LOC joint makes for quick and clean assembly. They are well suited for installation over underfloor heating systems.



Premium SIZE 2190x182x13.3 mm (3R)

SLIM SIZE 2200x148x13.3 mm (1R)





100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.

SQUARE EDGE

System of perfect floor element matching with guarantee of the effect of perfectly uniform surfaces, with almost imperceptible joints between individual boards.



ADHESIVE-FREE ASSEMBLY SYSTEM 2LOC

Adhesive-free joint, which enables a quick and clean installation. The floor is ready to be used right on installation.



INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.





PERFECT MATCH

Thanks to identical finish it is possible to combine both designs in various rooms in an apartment or a house, without the need to give up on the visual effect, and the costs of the floor going down.
ONE_4HIM Oak Cottage 1R Frosty & Frosty matt lacq. brushed







ONE_4HER Oak Cottage 1R Frosty & Frosty matt lacq. brushed





TWO_4HIM Oak Cottage 1R Ivory & Cream matt lacq. brushed

TWO_4HER Oak Cottage 3R Ivory & Cream matt lacq. brushed

THREE_4HIM Oak Cottage 1R Cashmere & Cashmere matt lacq. brushed







THREE_4HER Oak Cottage 3R Cashmere & Cashmere matt lacq. brushed





FOUR_4HIM Oak Cottage 1R matt lacq. brushed

FOUR_4HER Oak Cottage 3R matt lacq. brushed







FIVE_4HER Oak Cottage 3R Amber & Amber matt lacq. brushed





SIX_4HIM Oak Cottage 1R Smoky & Smoky matt lacq. brushed

SIX_4HER Oak Cottage 3R Smoky & Smoky matt lacq. brushed

SEVEN_4HIM Oak Cottage 1R Taupe & Taupe matt lacq. brushed





SEVEN_4HER Oak Cottage 3R Taupe & Taupe matt lacq. brushed











HIGHLY AFFORDABLE FLOORS PERFECT FOR SMALL INTERIORS

- Quick and easy installation
- Intended for small interiors
- Resistance to humidity and temperature fluctuations
- Well suited for installation over underfloor heating systems
- Highly affordable floors









Premium SIZE 2190x182x13.3 mm



Main features of the collection



100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.



MICROBEVEL ON THE SHORT OR SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.







ADHESIVE-FREE ASSEMBLY SYSTEM 2LOC AND 5G

Adhesive-free joint 2LOC and one of the most modern adhesive-free joints available on the market, which enables a speedy and clean installation. The floor is ready to be used right on installation.

INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.





Perfect for small and narrow rooms

SQUARE EDGE

System of perfect floor element matching with guarantee of the effect of perfectly uniform surfaces, with almost imperceptible joints between individual boards.

OAK VILLA 1R matt lacq. brushed 2mV







OAK COTTAGE 1R matt lacq. brushed 2mV





OAK EARTHQUAKE 1R ECO oil brushed 4mV

OAK COTTAGE 3R semi-matt lacq.

OAK EARTHQUAKE 1R porcelain ECO oil brushed 4mV





ASH CLASSIC 3R CREAM matt lacq





Wooden floor maintenance



VACUUM CLEAN THE FLOOR

Regularly (at least twice a week) clean your floors with a vacuum cleaner and a special brush attachment or with a soft sweeper. Floor mopping must be preceded by vacuum-cleaning.

TAKE PROPER CARE OF YOUR PET'S CLAWS

Regularly cut the claws of your pets, which will protect your floor from scratches. Remember to wipe clean the paws of your dog every time you come back from a walk – this way you will keep dirt and sand away from your interiors.



USE APPROPRIATE CLEANING AGENTS

Clean wooden floors with a moist, but not wet mop. The excessive amount of water can cause swelling, warping or discolouration of the floor. Accidentally spilt liquids must be immediately wiped up, otherwise the stains will become hardly removable. Use only Baltic Protection System agents. Do not apply waxes, as they can easily matt the wooden surface.



PROTECT THE FLOOR AGAINST SCRATCHING

Chair or furniture legs can scratch the floor surface. Use protective caps – chair and furniture legs should be covered with protective felt pads, and in the case of swivel chairs choose ones with special castors intended for wooden surfaces. Do not use impermeable rubber mats and carpets.

PROTECT THE FLOOR AGAINST DIRT

Doormats – a mixture of water and sand, coupled with intense wear of the floor brings about the same effect as rubbing the floor with sandpaper. Doormats placed at the front door and the exit to the terrace protect the floor against dirt. Keep doormats clean – replace them from time to time.

REMEMBER ABOUT AIR HUMIDITY

Keep an optimal air humidity level in the rooms, i.e. around 30-60% and temperature of 20°C; in winter, when the air humidity level drops, use air humidifiers. Remember that wood will naturally tend to achieve the state of hygroscopic balance – it is important to air the rooms from time to time.

88







Product index

Timeless™

| (| COL | lec | tι | 0 | n |
|---|-----|-----|----|---|---|
| | | | | | |

| FLOOR | SIZE | INDEX | PAGE |
|------------------------------------|----------------|---------------------|------|
| UNFINISHED STORY 1R 2LOC | 2200x210x14 mm | WEF1AI1SAR289T-1 | 16 |
| UNFINISHED STORY 1R 2LOC | 2200x182x14 mm | WEF1AI11AR289T-1 | 16 |
| UNFINISHED STORY 1R 2LOC | 2200x148x14 mm | WEF1AI12AR289T-1 | 16 |
| MOZART NOTES 1R 2LOC | 2200x182x14 mm | WEF1AG11AR469T-1 | 16 |
| MEDIEVAL CASTLE 1R 2LOC | 2200x210x14 mm | WEF1AG1SAR179T-1 | 17 |
| MEDIEVAL CASTLE 1R 2LOC | 2200x182x14 mm | WEF1AG11AR17-T-1 | 17 |
| MEDIEVAL CASTLE 1R 2LOC | 2200x148x14 mm | WEF1AG12AR17-T-1 | 17 |
| MEDIEVAL CASTLE 1R T&G herringbone | 1080x148x14 mm | WW/WCF1AG22AR17-AD1 | 17 |
| SECRET CHAMBER 1R 2LOC | 2200x182x14 mm | WEF1AG11AR19-T-1 | 18 |
| LOST COFFER 1R 2LOC | 2200x182x14 mm | WEF1AG11AR269T-1 | 18 |
| HOUSE OF SOULS 1R 2LOC | 2200x182x14 mm | WEF1AG11AR249T-1 | 19 |
| STARDUST 1R 2LOC | 2200x182x14 mm | WEF1AG11AR279T-1 | 19 |
| OLD LEGEND 1R 2LOC | 2200x182x14 mm | WEF1AG11AR439T-1 | 20 |

Painters Collection

| FLOOR | SIZE | INDEX | PAGE |
|---|----------------|------------------|------|
| PABLO Oak Elegance 1R Coconut & Coconut supermatt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A211-S169EB1 | 26 |
| PABLO Oak Unique 1R Coconut & Coconut supermatt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A511ES169EB1 | 26 |
| VINCENT Oak Unique 1R Coffee & Coffee supermatt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A511ES719EB1 | 26 |
| VINCENT Oak Superrustic 1R Coffee & Coffee supermatt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A011ES719EB1 | 26 |
| SALVADOR Oak Unique 1R Dove & Dove supermatt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A511ES739EB1 | 27 |
| FRIDA Oak Rustic 1R Smoked & Smoked supermatt lacq. brushed 2mV 5G | 2200x182x14 mm | WZ-1A611-S749EB1 | 27 |
| CLAUDE Oak Classic 1R supermatt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A411-S759EB1 | 28 |
| CLAUDE Oak Superrustic 1R supermatt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A011-S759EB1 | 28 |
| LEONARDO Oak Unique 1R aspect of raw wood supermatt lacq. 4mV 5G | 2200x182x14 mm | WZ-1A511EB449EB1 | 28 |
| LEONARDO Oak Rustic 1R aspect of raw wood supermatt lacq. 4mV 5G | 2200x182x14 mm | WZ-1A611EB449EB1 | 28 |

$\mathcal{H}\!\textit{otChoc}_{\mathsf{Collection}}$

| FLOOR | SIZE | INDEX | PAGE |
|--|----------------|------------------|------|
| OAK SUPERRUSTIC 1R Nougat & Nougat matt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A011-S809CL1 | 34 |
| OAK SUPERRUSTIC 1R Almond & Almond matt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A011-S839CL1 | 34 |
| OAK SUPERRUSTIC 1R Dark Choc & Dark Choc matt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A011-S849CL1 | 35 |
| OAK SUPERRUSTIC 1R Dark & Truffle matt lacq. brushed 2mV 5G | 2200x182x14 mm | WT-1A011-S869CL1 | 35 |
| OAK SUPERRUSTIC 1R White Choc & White Choc matt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A011-S879CL1 | 36 |

Stones

| Coll | ection |
|------|--------|
|------|--------|

FLOOR

LIMESTONE Oak Rustic 1R White & Beige matt lacq. brushed 4mV 5G MARBLE Oak Rustic 1R White & Taupe matt lacq. brushed 4mV 5G BASALT Oak Rustic 1R Brown & Taupe matt lacq. brushed 4mV 5G QUARTZ Oak Rustic 1R cool grey ECO oil brushed 4mV 5G DOLOMITE Oak Rustic 1R nut brown ECO oil brushed 4mV 5G SANDSTONE Oak Rustic 1R sand beige ECO oil brushed 4mV

NoLimits [™] Collection

| FLOOR | SIZE | INDEX | PAGE |
|---|------------------|------------------|------|
| LIBERTY Oak Cottage 1R Nougat & Nougat matt lacq. brushed 4mV T&G | 1090x148x14.6 mm | WC-1ALB2-S80-BC1 | 50 |
| REFLECTION Oak Cottage 1R transparent ECO oil brushed 4mV T&G | 1090x148x14.6 mm | WC-1ALB2-SO1-BC1 | 50 |
| DISCOVERY Oak Villa 1R porcelain ECO oil brushed 4mV T&G | 1090x148x14.6 mm | WC-1AKB2-S34-BC1 | 51 |
| INSPIRATION Oak Villa 1R matt lacq. brushed 4mV T&G | 1090x148x14.6 mm | WC-1AKB2-SL3-BC1 | 51 |
| HAPPINESS Oak Cottage 1R Cream & Cream matt lacq. brushed 4mV T&G | 1090x148x14.6 mm | WC-1ALB2-SB3-BC1 | 52 |
| PASSION Oak Cottage 1R grey ECO oil brushed 4mV T&G | 1090x148x14.6 mm | WC-1ALB2-SK7-BC1 | 52 |

| SIZE | INDEX | PAGE |
|----------------|------------------|------|
| 2200x182x14 mm | WZ-1A611-S889SI1 | 42 |
| 2200x182x14 mm | WZ-1A611-S899SI1 | 42 |
| 2200x182x14 mm | WZ-1A611-S909SI1 | 43 |
| 2200x182x14 mm | WZ-1A611-S919SI1 | 43 |
| 2200x182x14 mm | WZ-1A611-S929SI1 | 44 |
| 2200x182x14 mm | WZ-1A611-S939SI1 | 45 |

| 1090x148x14.6 mm | WC-1ALB2-S34-BC1 | 53 |
|------------------|--|--|
| 1090x148x14.6 mm | WC-1AKB2-SO1-BC1 | 53 |
| 1090x148x14.6 mm | WC-1ALB2-SL3-BC1 | 54 |
| 1080x148x14.6 mm | WW/WC-1ALA2-S80-AB1 | 54 |
| 1080x148x14.6 mm | WW/WC-1AKA2-SO1-AB1 | 55 |
| 1080x148x14.6 mm | WW/WC-1AKA2-S34-AB1 | 55 |
| 1080x148x14.6 mm | WW/WC-1ALA2-S34-AB1 | 56 |
| 1080x148x14.6 mm | WW/WC-1ALA2-SO1-AB1 | 56 |
| 1080x148x14.6 mm | WW/WC-1ALA2-SL3-AB1 | 57 |
| | 1090x148x14.6 mm 1090x148x14.6 mm 1080x148x14.6 mm 1080x148x14.6 mm 1080x148x14.6 mm 1080x148x14.6 mm 1080x148x14.6 mm | 1090x148x14.6 mm WC-1AKB2-SO1-BC1 1090x148x14.6 mm WC-1ALB2-SL3-BC1 1080x148x14.6 mm WW/WC-1ALA2-S80-AB1 1080x148x14.6 mm WW/WC-1AKA2-SO1-AB1 1080x148x14.6 mm WW/WC-1AKA2-S34-AB1 1080x148x14.6 mm WW/WC-1ALA2-S34-AB1 1080x148x14.6 mm WW/WC-1ALA2-S34-AB1 1080x148x14.6 mm WW/WC-1ALA2-S34-AB1 1080x148x14.6 mm WW/WC-1ALA2-S01-AB1 |

Melody[™] Collection

| FLOOR | SIZE | INDEX | PAGE |
|--|----------------|------------------|------|
| MADELINE Oak Classic 1R Coconut & Coconut supermatt lacq. brushed 4mV 5G | 2200x210x14 mm | WZ-1A41SES169CS1 | 62 |
| GRACE Oak Rustic 1R Dove & Dove supermatt lacq. brushed 4mV 5G | 2200x210x14 mm | WZ-1A61SES739CS1 | 62 |
| OAK ELEGANCE 1R transparent ECO oil brushed 4mV 5G | 2200x182x14 mm | WZ-1A211-SL39CL1 | 63 |
| OAK CLASSIC 1R transparent ECO oil brushed 4mV 5G | 2200x182x14 mm | WZ-1A411-SO1-CL1 | 63 |
| OAK UNIQUE 1R matt lacq. brushed 5G | 2200x182x14 mm | WR-1A511-SL3-CL1 | 64 |
| OAK RUSTIC 1R transparent ECO oil brushed 5G | 2200x182x14 mm | WR-1A611-SO1-CL1 | 64 |
| FORTUNE Oak Classic 1R matt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A411-SL39CS1 | 65 |
| HOPE Oak Classic 1R aspect of raw wood ECO oil brushed 4mV 5G | 2200x182x14 mm | WZ-1A411-S199CS1 | 65 |
| BIRTH Oak Superrustic 1R porcelain ECO oil brushed 4mV 5G | 2200x182x14 mm | WZ-1A011-S349CS1 | 66 |
| WISDOM Oak Superrustic 1R white & grey ECO oil brushed 4mV 5G | 2200x182x14 mm | WZ-1A011-S379CS1 | 66 |
| SCIENCE Oak Superrustic 1R matt lacq. brushed 4mV 5G | 2200x182x14 mm | WZ-1A011-SL39CS1 | 67 |
| EVOLUTION Oak Earthquake 1R transparent ECO oil brushed 4mV 5G | 2200x182x14 mm | WZ-1AI11BSO1-CS1 | 67 |

Baltic Wood S.A. reserves the right to change the technical parameters of the products on offer as well as to discontinue them.

Baltic Wood floors are manufactured only from natural wood, and that is why the shade, occurrence of knots, ring pattern and grain structures of particular elements - boards, slats etc. - can differ from one another as well as in relation to the photos included in all Baltic Wood marketing materials. The natural variation can be noticed when comparing the final product with the samples presented at the exposition.

The wood variety is a natural feature of this noble raw material, determining its beauty and Uniqueness.

Jeans ® Collection

| FLOOR | SIZE | INDEX | PAGE |
|---|------------------|------------------|------|
| ONE_4HIM Oak Cottage 1R Frosty & Frosty matt lacq. brushed 2LOC | 2200x148x13.3 mm | WE-1ALD2ES49WE-1 | 72 |
| ONE_4HER Oak Cottage 3R Frosty & Frosty matt lacq. brushed 2LOC | 2190x182x13.3 mm | WE-1A05MES499E-1 | 72 |
| TWO_4HIM Oak Cottage 1R Ivory & Cream matt lacq. brushed 2LOC | 2200x148x13.3 mm | WE-1ALD2ESB9WE-1 | 73 |
| TWO_4HER Oak Cottage 3R Ivory & Cream matt lacq. brushed 2LOC | 2190x182x13.3 mm | WE-1A05MESB99E-1 | 73 |
| THREE_4HIM Oak Cottage 1R Cashmere & Cashmere matt lacq. brushed 2LOC | 2200x148x13.3 mm | WE-1ALD2ESC9WE-1 | 74 |
| THREE_4HER Oak Cottage 3R Cashmere & Cashmere matt lacq. brushed 2LOC | 2190x182x13.3 mm | WE-1A05MESC99E-1 | 74 |
| FOUR_4HIM Oak Villa 1R matt lacq. brushed 2LOC | 2200x148x13.3 mm | WE-1AKD2ESL3WE-1 | 75 |
| FOUR_4HIM Oak Cottage 1R matt lacq. brushed 2LOC | 2200x148x13.3 mm | WE-1ALD2ESL3WE-1 | 75 |
| FOUR_4HER Oak Classic 3R matt lacq. brushed 2LOC | 2190x182x13.3 mm | WE-1A454ESL39E-1 | 75 |
| FOUR_4HER Oak Cottage 3R matt lacq. brushed 2LOC | 2190x182x13.3 mm | WE-1A05MESL39E-1 | 75 |
| FIVE_4HIM Oak Cottage 1R Amber & Amber matt lacq. brushed 2LOC | 2200x148x13.3 mm | WE-1ALD2ES55WE-1 | 76 |
| FIVE_4HER Oak Cottage 3R Amber & Amber matt lacq. brushed 2LOC | 2190x182x13.3 mm | WE-1A05MES559E-1 | 76 |
| SIX_4HIM Oak Cottage 1R Smoky & Smoky matt lacq. brushed 2LOC | 2200x148x13.3 mm | WE-1ALD2ESC5WE-1 | 77 |
| SIX_4HER Oak Cottage 3R Smoky & Smoky matt lacq. brushed 2LOC | 2190x182x13.3 mm | WE-1A05MESC59E-1 | 77 |
| SEVEN_4HIM Oak Cottage 1R Taupe & Taupe matt lacq. brushed 2LOC | 2200x148x13.3 mm | WE-1ALD2ES54WE-1 | 78 |
| SEVEN_4HER Oak Cottage 3R Taupe & Taupe matt lacq. brushed 2LOC | 2190x182x13.3 mm | WE-1A05MES549E-1 | 78 |

Smart Collection

FLOOR

OAK VILLA 1R matt lacq. brushed 2mV 2LOC OAK COTTAGE 1R matt lacq. brushed 2mV 2LOC OAK EARTHQUAKE 1R transparent ECO oil brushed 4mV 5G OAK EARTHQUAKE 1R transparent ECO oil brushed 4mV 5G OAK COTTAGEE 3R semi-matt lacq. 2LOC OAK EARTHQUAKE 1R porcelain ECO oil brushed 4mV 5G OAK EARTHQUAKE 1R porcelain ECO oil brushed 4mV 5G ASH CLASSIC 3R Cream matt lacq. 2LOC

| SIZE | INDEX | PAGE |
|------------------|------------------|------|
| 1080x182x14 mm | WM-1AK21ESL39W-1 | 84 |
| 1080x182x14 mm | WM-1AL21ESL39W-1 | 84 |
| 2200x148x13.3 mm | WZ-1AID2-SK29CL1 | 85 |
| 2200x182x13.3 mm | WZ-1AID1-SK29CL1 | 85 |
| 2190x182x13.3 mm | WE-1A05M-L029C-1 | 85 |
| 2200x148x13.3 mm | WZ-1AID2-SK39CL1 | 86 |
| 2200x182x13.3 mm | WZ-1AID1-SK39CL1 | 86 |
| 2190x182x13.3 mm | WE-1J45M-BH19C-1 | 86 |

Three-layered wooden floor

BALTIC WOOD FLOOR COMPRISES THREE LAYERS. The top layer made of noble wood (2.7-6.6 mm thick) is covered with seven coats of lacquer or two coats of oil. Both the finishes make up, on the floor surface, a thin, flexible and durable protective coating. The middle layer (approx. 8.9 mm thick) includes transverse spruce slats that reinforce the floor flexibility. The bottom layer (approx. 1.6 mm thick) is made of uniform spruce veneer, which stabilises and stiffens the whole structure.



Patterns & finishing



1R PATTERN 1-strip board



3R PATTERN 3-strips board



FINISHES ECO oil, varnishes, stains

Warmth and harmony

Wood is a natural raw material that creates a harmonious warm atmosphere in the room

FASHIONABLE SURFACE current trends.

dust.

AESTHETICS AND COMFORT

Oak floors in the most fashionable finishes in line with

SAFE FOR ALLERGIC PEOPLE

The advantage of wood is its antistatic and hypoallergenic properties, which are of great importance for the health of household members. Wood is a great solution for allergy sufferers because it does not contain any substances that may cause allergies and does not collect

Wooden floors are a perfect aesthetic and functional solution for commercial and private interiors, giving them an individual, always unique character.



www.balticwood.pl